

# INTERIOR DOOR

collections

 *Masonite*<sup>®</sup>  
the beautiful **door**<sup>™</sup>



WE ARE

# INTERIOR DOORS

Whether you prefer the traditional appeal of Masonite Classics™, the authentic styling of Masonite Select™ or the distinct lines of Masonite Expo™, we make it easy to find your perfect door. It is all part of our commitment to creating quality products that enhance the beauty and functionality of your home.

- Interior Doors at a Glance . . . . . p4
- Safe 'N Sound®  
Solid Core Doors . . . . . p6
- Molded Doors . . . . . p8
- Commercial Doors . . . . . p19
- Flush Series . . . . . p20
- Eco-Friendly Engineered  
Doors . . . . . p21
- Barn Door Hardware . . . . . p21
- Design & Size Options . . . . . p22

## masonite EXPO™ p8

Heritage® Series  
West End Collection®  
Palazzo Series®



ARTISTIC | CONTEMPORARY | SLEEK

masonite  
**SELECT™** p14

Cheyenne®  
Riverside®  
Saddlebrook®



AUTHENTIC | DIVERSE | STYLISH



masonite  
*Classics™* p16

Molded Panel Series  
6P Prefinished



ELEGANT | TRADITIONAL | TIMELESS

# Masonite® Interior Doors at a Glance




## HERITAGE® SERIES

## WEST END COLLECTION®

## PALAZZO SERIES®



Combines the classic lines of a wood shaker door with the durability of molded panel engineering



Lincoln Park™  
Logan™  
Winslow™

Embossed lines and minimalist designs that add sophistication & bold style through understatement



Berkley™  
Hamel™  
Melrose™

High-definition panels with deep, rich embossments and raised moulding impart an air of elegance to any space



Bellagio™  
Capri™  
Treviso™



## Decorate with Doors

Add Color to Your Home  
with Masonite Molded Doors

masonite  
**SELECT**<sup>™</sup> AUTHENTIC  
DIVERSE  
STYLISH

CHEYENNE<sup>®</sup> | RIVERSIDE<sup>®</sup> | SADDLEBROOK<sup>®</sup>



masonite  
*Classics*<sup>™</sup> SIMPLE  
TRADITIONAL  
TIMELESS

TRADITIONAL MOLDED PANEL



Feature lines distinguish the architectural correctness of authentic stile & rail wood doors



Cheyenne<sup>®</sup>  
Riverside<sup>®</sup>  
Saddlebrook<sup>®</sup>

The originals, these doors complement any décor with their simple, pleasing lines & familiar designs



2, 3, 4 and 6 Panel  
2 Panel Roman  
2 Panel Arch-Top  
6 Panel Prefinished

Personalize your interior door to reflect your unique style.



# SAFE 'N SOUND<sup>®</sup>

DURABLE | SOLID | ECO-FRIENDLY

Bring tranquility to your home with durable,

solid core interior doors from Masonite.

Engineered to be environmentally friendly,

Safe 'n Sound Doors offer true peace of mind.



**SURVEY SAYS...**

When given a choice between Safe 'N Sound<sup>®</sup> or hollow core doors,

**100% OF CUSTOMERS PREFER SAFE 'N SOUND.\***

Ask your representative how to upgrade to a Safe 'N Sound door.

\*Qualitative research conducted in 2013.




- **5-year** warranty
- Safe 'N Sound<sup>®</sup> doors **quiet a home** more than hollow core doors
- Offers the **durability, heft & feel of real wood**
- Solid core doors **add more resale value to a home** than standard hollow core doors
- 20-minute fire rated options with 1-3/4" thickness
- **Green at Heart:** the core of our Safe 'N Sound door is engineered from wheat straw, an annually renewable resource





**E**  
MASONITE  
EXPO

# HERITAGE® SERIES



- Combines the classic lines of wood shaker doors with the durability of molded panel engineering
- Available in Safe 'N Sound®, see page 21 for details
- Emerald® "green" specification offered for all styles with matching bifolds, see page 21 for details



# HERITAGE® SERIES

EXPO

ARTISTIC | CONTEMPORARY | SLEEK



NEW  
Logan™

HERITAGE®  
SERIES



LINCOLN PARK™



new

LOGAN™




WINSLOW™



**E**  
MASONITE  
EXPO

# WEST END COLLECTION®



- Modern designs complement a variety of décors
- Available in Safe 'N Sound', see page 21 for details
- Emerald® "green" specification offered for all styles with matching bifolds, see page 21 for details

# WEST END COLLECTION®


EXPO

ARTISTIC | CONTEMPORARY | SLEEK



Masonite's sliding door track system is space saving, easy to install and features ball bearing rollers to allow your doors to open & close quietly.


See page 21 for our Barn Door Hardware



BERKLEY®



HAMEL®



\*MELROSE®

\*Not for use with double doors or 4 door bifold door applications.



**E**  
MASONITE  
EXPO

# PALAZZO SERIES®



**BELLAGIO®**  
2 arched panels



**CAPRI®**  
2 square panels



**TREVISO®**  
3 panel camber-top



- European style raised panels with smooth surface, ready to paint
- Engineered with Masonite's Component Construction for maximum performance
- Resists warping, shrinking and cracking



**CHEYENNE®**  
2 panel camber-  
top plank smooth



**RIVERSIDE®**  
5 panel equal  
smooth



**SADDLEBROOK®**  
1 panel plank  
smooth





- Feature lines distinguish architectural correctness of authentic stile & rail wood doors
- Available in Safe 'N Sound®, see page 21 for details
- Emerald® "green" specification offered for all styles with matching bifolds, see page 21 for details

# MOLDED PANEL SERIES



2 PANEL  
SMOOTH ONLY



2 PANEL ROMAN  
SMOOTH ONLY



2 PANEL  
ARCH-TOP  
SMOOTH &  
TEXTURED



3 PANEL  
TEXTURED ONLY




4 PANEL  
SMOOTH ONLY



6 PANEL  
SMOOTH &  
TEXTURED





- Resists warping, shrinking and cracking
- Available in Safe 'N Sound<sup>®</sup>, see page 21 for details
- Emerald<sup>®</sup> "green" specification offered with matching bifolds, see page 21 for details

# 6P PREFINISHED




- Durable topcoat ensures a long-lasting finish
- Resists warping, shrinking and cracking better than solid wood doors
- Available in textured finished with matching bifolds



# COMMERCIAL DOORS



HEAVY DUTY | DURABLE | LOW MAINTENANCE



## 10" Bottom Rail


- Taller bottom rails & wider stiles for compatibility with commercial hardware
- Satisfies ADA requirements

6P PREFINISHED STYLES | COMMERCIAL DOORS



# FLUSH SERIES

BASIC | DURABLE | LOW MAINTENANCE



- Offers the beauty and refinement of an authentic woodgrain finish
- High-quality materials make doors easy to finish



OAK



BIRCH



HARDWOOD



PRIMED  
HARDBOARD

# BARN DOOR HARDWARE

TRENDY | INNOVATIVE | FUNCTIONAL



- Modern and rustic applications
- Easy install
- For use with solid core doors only



STRAIGHT STRAP  
Stainless Steel



BENT STRAP  
Matte Black



TOP OF DOOR STRAP  
Stainless Steel

# ECO-FRIENDLY ENGINEERED DOORS

SAFE 'N SOUND® & EMERALD "GREEN" DOORS

green association & certification cross reference	safe'n sound EMERALD™ SOLID CORE DOORS	hollow core		safe'n sound SOLID CORE DOORS
	Molded Panel*	Molded Panel*	Flush Primed Hardboard	All Designs & Species (excluding Palazzo)
	1-3/8", 1-3/4" 1-3/4" 20-minute	1-3/8" Only	1-3/8" Only	1-3/8" Only
<b>GREEN ATTRIBUTES</b>				
Pre-Consumer Recycled Content	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1
Resource Efficient Materials	NAHB - 607.1	NAHB - 607.1	NAHB - 607.1	NAHB - 607.1
Rapidly Renewable Materials	LEED NC - MR 6.0; NAHB 606.1			LEED NC - MR 6.0; NAHB 606.1
Environmentally Preferred Products / Low Emissions Adhesives and Sealants	LEED H - MR 2.2	LEED H - MR 2.2	LEED H - MR 2.2	LEED H - MR 2.2
CARB 93120 Compliant (California Air Resources Board)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	**
Extremely Low VOC Emissions	NAHB - 901.4, CARB 93120 ULEF	NAHB - 901.4, CARB 93120 ULEF	NAHB - 901.4, CARB 93120 ULEF	
No Added Urea-Formaldehyde (NAUF)	LEED NC EQ 4.4; NAHB 901.4	LEED NC EQ 4.4; NAHB 901.4	LEED NC EQ 4.4; NAHB 901.4	
FSC® Certified Wood (Forest Stewardship Council)	LEED H - MR 2.1; LEED NC - MR 7.0; NAHB - 606.2		LEED H - MR 2.1; LEED NC - MR 7.0; NAHB - 606.2	
<b>PERFORMANCE</b>				
Made with sound-reducing solid core	✓			✓
Offers heft & feel of solid wood	✓			✓
Ready to paint & decorate	✓	✓	✓	✓

\*Not all designs are available in Emerald offering, contact Masonite for the complete product offering

\*\*Safe 'N Sound doors which meet CARB Phase 2 are available in many areas of the country.

The above referenced certifications are based on the following versions: LEED NC - 3.0 / LEED H - 2008 / NAHB - 2008.

For technical specification information, visit [www.masonite.com](http://www.masonite.com) or contact us at 800-663-DOOR (3667).




FSC® Trademark License Code: FSC-C014860

## TECHNICAL & SUPPORT INFORMATION ON GREEN.




- This product contributes to satisfying the credits of the U.S. Green Building Council's LEED® Green Building Rating System™. For current applicable LEED® standards, visit [www.usgbc.org](http://www.usgbc.org).
- For more information on the NAHB National Green Building Program™, visit [www.nahb.org](http://www.nahb.org).
- Evaluations of the Green Certifications are provided as a courtesy for Masonite customers, further confirmation should be completed on a project basis by consulting the certification guidelines or contacting an association representative for verification.
- USGBC® and LEED® are registered trademarks of the U.S. Green Building Council.




# DESIGN & SIZE OPTIONS

MASONITE EXPO™




PALAZZO SERIES*		PASSAGE												BIFOLDS									
		12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
	<b>BELLAGIO® (2 ARCHED PANELS)</b>																						
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	
	<b>CAPRI® (2 SQUARE PANELS)</b>																						
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	
	<b>TREVISO® (3 PANELS)</b>																						
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	










\*These Palazzo bifolds are shipped as two units.

WEST END COLLECTION*		PASSAGE												BIFOLDS									
		12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
	<b>BERKLEY®</b>																						
	smooth 80"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•						•	•	•	•
	smooth 84"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•						•	•	•	•
	<b>HAMEL®</b>																						
	smooth 80"							•	•	•	•	•	•	•						•	•	•	•
	smooth 84"							•	•	•	•	•	•	•						•	•	•	•
	<b>MELROSE®</b>																						
	smooth 80"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•						•	•	•	•
	smooth 84"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•						•	•	•	•

HERITAGE SERIES		PASSAGE												BIFOLDS									
		12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
	<b>LINCOLN PARK® (1 PANEL)</b>																						
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	
	<b>LOGAN™ (2 PANELS)</b>																						
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	
	<b>WINSLOW™ (3 PANELS)</b>																						
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	

MASONITE SELECT™

		PASSAGE												BIFOLDS									
		12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
	<b>CHEYENNE®</b>																						
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	
	<b>RIVERSIDE®</b>																						
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	
	<b>SADDLEBROOK®</b>																						
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	

MOLDED PANEL SERIES		PASSAGE												BIFOLDS											
		12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	42"	16"	18"	24"	28"	30"	32"	36"	48"	60"	72"
	<b>2 PANEL ARCH-TOP</b>																								
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
	textured 80"	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	
	<b>2 PANEL ROMAN SMOOTH</b>																								
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	
	smooth 96"					•	•	•	•	•	•	•					•	•	•	•	•	•	•	•	
	<b>2 PANEL ROMAN SMOOTH</b>																								
	smooth 80"										•	•	•												
	smooth 84"									•	•	•													
	<b>2 PANEL</b>																								
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	
	<b>2 PANEL</b>																								
	smooth 80"										•	•	•												
	smooth 84"									•	•	•													
	<b>3 PANEL</b>																								
	textured 80"	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•
	<b>4 PANEL</b>																								
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	
	<b>6 PANEL</b>																								
	smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•
	textured 80"	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•
	smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•
	textured 84"	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•
	smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•
	textured 96"	•	•	•	•	•*	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•	
	prefinished 80" (all colors)	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•	
	<b>6 PANEL COMMERCIAL</b>																								
	smooth 80"										•	•	•												
	smooth 84"									•	•	•													

FLUSH SERIES		PASSAGE												BIFOLDS												
		12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"			
80", 84" & 96" Heights																										
HARDBOARD																										
Primed		•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•	
VENEER																										
Oak, Birch, Hardwood		•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•	


\*Thinner outer style will not affect functionality. Double doors and bifolds are not recommended. Due to manufacturing processes, a 1/8" tolerance is acceptable on horizontal lines.  
 Note: 48", 60" & 72" bifolds are achieved by doubled 24", 30" & 36" bifolds.

Molded Panel Series & Masonite Select™ Collection Notes: Please note that some sizes are only available as a result of being trimmed from a larger facing. The trimming process may result in a stile width that is too narrow to accommodate a standard bore. To machine a standard bore with a 2-3/8" backset on the lock hole and a 2-1/8" diameter bore, the outer stile measurements must be no less than 3-7/16" wide. Many facings have a lockrail that will accommodate a standard bore even when the stile width is too narrow. Please refer to Masonite Molded Door Facing Dimensional Specifications to verify the outer stile measurements or contact your Masonite Interior Door servicing plant. Textured refers to embossed wood-grain. Pre-finished white is available textured only. Not all molded panel designs and sizes are available in all regions as stock products. Please check for special order availability. \*Molded Panel actually measures 1'-13/16".

# safe'n sound<sup>®</sup>

## SOLID CORE DOORS

Ask your representative how to upgrade to a Safe 'N Sound door.



**100% OF CUSTOMERS  
PREFER SAFE 'N SOUND.\***

\*Qualitative research conducted in 2013.

See inside for more details.

Design your door  
with **Max**  
Masonite Xpress Configurator™



Experiment with thousands of customization options, get pricing information and find out where to buy without ever leaving the comfort of your home.

**For full offering visit [masonite.com](http://masonite.com)**

Masonite Helpline:  
1-800-663-DOOR (1-800-663-3667)  
9 a.m. to 5 p.m.  
Monday through Friday, EST

[www.masonite.com](http://www.masonite.com)

Masonite®, "Masonite. The Beautiful Door.™", Max®, Safe 'N Sound®, Emerald®, Bellagio®, Berkley®, Capri®, Cheyenne®, Hamel®, Heritage®, Lincoln Park®, Logan®, Melrose®, Palazzo Series®, Palazzo®, Riverside®, Saddlebrook®, Treviso®, West End Collection® and Winslow® are trademarks of Masonite International Corporation. Doors made using patents 6,588,162 (US), 5,543,234 (US) and 2,151,989 (CA). Additional Patents Pending. Our continuing program of product improvement makes specification, design and product detail subject to change without notice.

11/15 PRINTED IN THE USA © 2015 by Masonite International Corporation

**Masonite**<sup>®</sup>  
the beautiful door™